



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"four dimensional histogram" tracking

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

[Scholar Help](#)

**Scholar** [All articles](#) - [Recent articles](#) Results 1 - 10 of about 14 for "[four dimensional histogram](#)" t

**All Results**

[D Hall](#)

[J Crowley](#)

[R Evans](#)

[R Kahn](#)

[P Banerjee](#)

[\[PS\] Statistical Recognition of Parameter Trajectories for Hand Gestures and Face Expressions - all 2 versions »](#)

D Hall, J Martin, JL Crowley - Computer Vision and Mobile Robotics Workshop - inrialpes.fr ... A second experiment concerns recognition of the Grati character set as it is written. Data is obtained by **tracking** the nger tip [MDC98]. ...

[Cited by 4](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Visual Recognition of Emotional States - all 5 versions »](#)

K Schwerdt, D Hall, JL Crowley - Proceedings of the Third International Conference on ..., 2000 - Springer

... video stream, normalized by the face **tracking** algorithm discussed above ... 2.

Experimental

results of facial expression recognition with **four dimensional histogram** ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Video motion processing for event detection and other applications - all 3 versions »](#)

RJ Evans, EL Brassington, C Stennett - Visual Information Engineering, 2003. VIE 2003. ..., 2003 - ieeexplore.ieee.org

... **dimensional histogram** to capture a summary of the normal behaviour observed during training. Once trained, possible anomalies can be detected when **track** data ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Analysis of Visual Feature Motion for Event and Threat Detection](#)

RJ Evans, E Turkbeyler, EP Sparks - 2 ndAnnual Technical Conference of the EMRS DTC, Edinburgh - emrsdte.com

... **four- dimensional histogram** to capture a summary of the behaviour observed during training. Once trained, possible anomalies can be detected when **track** data ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Video Motion Anomaly Detection for Military Applications](#)

RJ Evans, RG Porges - emrsdte.com

... **dimensional histogram** is used to capture a summary of the behaviour observed during training. Once trained, possible anomalies can be detected when **track** data ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[VIDEO MOTION ANOMALY DETECTOR - all 2 versions »](#)

RJ EVANS - EP Patent 1,529,268, 2005 - freepatentsonline.com

... wherein the learning process (3) accumulates data representing the behaviour of the **track** (s) over a period of time in a **four-dimensional histogram**, said four ...

[Cached](#) - [Web Search](#)

[Person Recognition and Tracking](#)

M Hahnel, H Fillbrandt - Springer

Page 1. Chapter 5 Person Recognition and **Tracking** Michael Hahnel 1 , Holger Fillbrandt 2 ... 1 Sect. 5.1, 5.2 2 Sect. 5.3 Page 2. 192 Person Recognition and **Tracking** ...

[Related Articles](#) - [Web Search](#)